



BLOOD BANK REFRIGERATED CENTRIFUGE BBRC-204

BLOOD BANK REFRIGERATED CENTRIFUGE BBRC-204

Our centrifuges deliver outstanding performance and help you to achieve unmatched productivity. From mini centrifuge to floor type models, they combine reliable performance with ease of use to meet your versatile application needs. Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Floor Type Refrigerated Centrifuge, Benchtop Centrifuge.

BBRC-204 BLOOD BANK REFRIGERATED CENTRIFUGE

Micro-computer control, electronic lock and AC variable-conversion motor which delivers high torque.

Imported compressor unit with Non-CFC refrigerant. It measures up to environmental standards.

The machine is programmable. The operation data can be stored automatically.

LCD display and the touching panel makes the operation easy.

The real-time conversion of speed and RCF is convenient for operation.

It has self-locking device, over-speed safety device, over-temperature safety device, imbalance safety device and automatic alarm device.

It has 10 files of acceleration and deceleration for your choice.

SPECIFICATIONS

Model	BBRC-204
Maximum Capacity (No of tubes x Vol.)	6x2400 ml
Temperature Range	-20~40°C
Temperature Accuracy	±1°C
Maximum Speed	8000 rpm
Speed Accuracy	±50rpm
Maximum RCF	11260xg
Time Range	1~99 h 59 min
Overall Dimension	900Lx1000Wx1300H mm
Packing Size	980Lx1100Wx1580H mm
Noise Level	<70 dB (A)
Weight (Net/Gross)	510 kg
Power Supply	AC 380V 50Hz 40A

OPTIONAL ACCESSORIES

Accessory Code	Name	Description	RPM	RCF _{xg}
2300713006	Angle rotor	500mlx6	8000	11260xg
2300713007	Swing rotor	2000mlx6	4000	6260xg
2300713008	Swing rotor	2400mlx6	4000	6260xg



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com