



WATER BATH BBWA-206

WATER BATH BBWA-206

Biolab Water bath provides precise temperature control along with stirring mixture function to create a stable temperature environment for a variety of applications. Easy to use and maintain, seamless stainless steel chamber with available with a digital operating system.

Used in Enzyme reactions, Immunoassay, Incubation, Laboratory, Research, Medical, Pharmaceuticals.

Also known as Laboratory water bath.

BBWA-206 WATER BATH



Stainless steel water sink with surface electrolysis treatment

Cold rolled steel plated outer shell with surface electrolysis powder spray

Stainless steel U type heating tube heater

Touch button setting

Measuring temperature: display on the three digital tubes upper row

Setting temperature: display on the lower row

Fixed temperature operation, timing function, auto stop

Optional: Multi-section program control

Additional function: Deviation correction, menu key lock, power failure back-up, power-off parameter memory, PID adjustable

Thermal resistor sensor

Over-temperature alarm, short-circuit protection

SPECIFICATIONS

| Model | BBWA-206 |
|-------------------------|--|
| Capacity | 18.6 L |
| Heating Mode | Bottom heating, water temperature natural convection |
| Temperature Range | RT+5°C to 100°C |
| Temperature Resolution | 0.1°C |
| Temperature Motion | ±0.5°C |
| Temperature Uniformity | ±1.0°C |
| Time Range | 0~999 min |
| Cover Aperture | Φ 120 mm |
| Cover Material | PP Plastic |
| Cover Number per hole | 5 |
| Inner Dimension (WxDxH) | 470x305x130 mm |
| Outer Dimension (WxDxH) | 510x350x210 mm |
| Packaging size (WxDxH) | 575x410x275 mm |
| Weight | 8/9 kg |
| Power | 1200 W |
| Power Supply | 220 V, 50 Hz 5.4 A |



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com