



BENCHTOP HIGH SPEED CENTRIFUGE BCBH-102

BENCHTOP HIGH SPEED CENTRIFUGE BCBH-102

Designed around your applications to provide you competent sample processing and reliable results. Microcomputer programmable with excellent temperature controls and low noise operation maximize your productivity. Highly efficient with low maintenance requirements, it is an ideal separation tool for multiple research applications.

Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Benchtop Centrifuge, Non Refrigerated High Speed Centrifuge, Laboratory Tabletop Centrifuge.

BCBH-102 BENCHTOP HIGH SPEED CENTRIFUGE



Brushless DC motor, no carbon dust pollution, unnecessary to maintain

Microprocessor control, small LCD display in the speed, time, RCF in operation, speed raising and reducing quick, operate simply. Running parameters can be edited

Automatically electric lid lock, super speed, imbalance protection. The centrifuge body is made of high quality steel, safe and reliable

Rotor is connected to spindle by specialized taper sleeve, loading simple and quick, no direction

It is with CE & ISO9001 & ISO13485 Certificates

SPECIFICATIONS

Model	BCBH-102
Maximum Capacity (No of tubes x Vol.)	10x5 ml
Maximum Speed	16000 rpm
Speed Accuracy	±20 rpm
Maximum RCF	19040xg
Time Range	0-99 min
Overall Dimension	335x270x190 mm
Noise Level	<65 dB(A)
Net. Weight	15 kg
Power Supply	AC220V 50Hz/110V 60Hz

OPTIONAL ACCESSORIES

Accessory Code	Name	Description	RPM	RCF _{xg}
2300807006	Angle rotor	40x0.2 ml	16000	19040xg
2300807007	Angle rotor	24x0.5 ml	16000	18480xg
2300807008	Angle rotor	12x1.5/2 ml	16000	16260xg
2300807009	Angle rotor	10x5 ml	16000	17880xg
2300807010	Angle rotor	20x1.5/2 ml	14000	15580xg



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com