

PRODUCT CATALOG

×

BENCHTOP HIGH SPEED CENTRIFUGE BCBH-301





BENCHTOP HIGH SPEED CENTRIFUGE BCBH-301

Designed around your applications to provide you competent sample processing and reliable results. Microcomputer programmable with excellent temperature controls and low noise operation maximize your productivity. Highly efficient with low maintenance requirements, it is an ideal separation tool for multiple research applications.

Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Benchtop Centrifuge, Non Refrigerated High Speed Centrifuge, Laborartory Tabletop Centrifuge.

BCBH-301 BENCHTOP HIGH SPEED CENTRIFUGE

Microcomputer controlled programmable operation with CPU control system that controls speed, temperature and relative centrifuge force

LCD wide screen displays set and run conditions for easy monitoring

Brushless DC Motor ensures low maintenance, high efficiency and constant speed of rotation

Store 10 programs in centrifuge memory which are retained even after powering down the centrifuge

Fully stainless steel structure and aluminium alloy rotor for sustainable use

Multiple layers of shock absorbers with auto balancing function

System is complemented by multiple new accessories, including tube racks, centrifuge adapters and rotors

Safety features: Self diagnostic, Rotor Identification, Rotor imbalance detector, Lid protection, Door Cover Protection, Built in electronic door lock and protection,

Over speed protection, over temperature protection

SPECIFICATIONS

BCBH-301	Model
4x100 ml	Maximum Capacity (No of tubes x Vol.)
20000 rpm	Maximum Speed
±50 rpm	Speed Increment
27800xg	Maximum RCF
0-99 min	Time Range
500x360x330 mm	Overall Dimension
10 user programs	Program
Microcomputer	Control
LCD	Display
<65 dB(A)	Noise Level
25 kg	Net. Weight
350 W	Power
AC220v 50Hz 5A	Power Supply
10 user programs Microcomputer LCD <65 dB(A) 25 kg 350 W	Program Control Display Noise Level Net. Weight Power

OPTIONAL ACCESSORIES

Accessory Code	Name	Description	RPM	RCFxg
2301007006	Angle Rotor	12x1.5/2ml	20000	17800xg
2301007007	Angle Rotor	8x5ml	13000	11400xg

2301007008	Angle Rotor	12x10ml	12000	14800xg
2301007009	Angle Rotor	24x1.5/2.2ml	15000	19970xg
2301007010	Angle Rotor	48x0.5ml	13500	14800xg
2301007011	Angle Rotor	36x1.5ml	13500	17000xg
2301007012	Angle Rotor	6x50ml	13000	17940xg
2301007013	Angle Rotor	4x100ml	10000	9800xg
2301007014	Microplates Rotor	2x2x48holes	4000	1400xg



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada Email: info@biolabscientific.com | Website: www.biolabscientific.com