



BENCHTOP HIGH SPEED CENTRIFUGE BCBH-307

BENCHTOP HIGH SPEED CENTRIFUGE BCBH-307

Designed around your applications to provide you competent sample processing and reliable results. Microcomputer programmable with excellent temperature controls and low noise operation maximize your productivity. Highly efficient with low maintenance requirements, it is an ideal separation tool for multiple research applications.

BCBH-307 BENCHTOP HIGH SPEED CENTRIFUGE



Brushless DC motor, no carbon dust pollution, free maintenance

Microprocessor control, small LCD display

Automatic rotor identification function

Electronic lock, over speed and imbalance protection

10 kinds of program stored in the memory, 10 kinds of accelerating and decelerating speed for your choice

It is with CE & ISO9001 & ISO13485 Certificates

SPECIFICATIONS

Model	BCBH-307
Maximum Capacity (No of tubes x Vol.)	24 capillary tubes
Maximum Speed	12000 rpm
Speed Accuracy	±20rpm
Maximum RCF	15800xg
Time Range	0~99min
Noise Level	≤55 dBA
Power Supply	AC 220 50Hz 2A
Overall Dimension	335x270x190 mm
Net. Weight	13 kg
Package	Carton box



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com