

# PRODUCT CATALOG



## BENCHTOP LOW SPEED CENTRIFUGE BCBL-303





#### BENCHTOP LOW SPEED CENTRIFUGE BCBL-303

Designed around your applications to provide you competent sample processing and reliable results. Microcomputer programmable with excellent temperature controls and low noise operation maximize your productivity. Highly efficient with low maintenance requirements, it is an ideal separation tool for multiple research applications.

Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Benchtop Centrifuge, Non Refrigerated High Speed Centrifuge, Laborartory Tabletop Centrifuge.

#### **BCBL-303 BENCHTOP LOW SPEED CENTRIFUGE**



Brushless DC frequency motor with simpler construction, more reliable performance, longer life.

Smooth in operation, low noise and small vibration.

Flexible axle driven system which drive the rotor directly, smooth in operation, low noise and small vibration.

Microprocessor control speed, temperature and time, digital display, 10 kinds of accelerating and decelerating speed for your choice.

Electric lid lock, compact design, super speed and imbalance protection.

3 tiers protection steel cover.

## **SPECIFICATIONS**

Model	BCBL-303		
Maximum Capacity (No of tubes x Vol.)	6x50 ml		
Maximum Speed	6000 rpm		
Speed Accuracy	±10 rpm		
Maximum RCF	3660xg		
Time Range	0~99 min		
Overall Dimension	265x483x320 mm		
Noise Level	<45 dB(A)		
Net. Weight	23 kg		
Power Supply	AC 220 V 50 Hz 2A		
Package	Wooden box		

### **OPTIONAL ACCESSORIES**

Accessory Code	Name	Description	RPM	RCFxg
2301613006	Angle rotor	12x20 ml	4000	2220xg
2301613007	Angle rotor	6x50 ml	4000	2100xg
2301613008	Angle rotor	6x10/7/5 ml	6000	3450xg
2301613009	Angle rotor	6x15/7/5 ml	6000	3660xg
2301613010	Angle rotor	24x10 ml	4000	2200xg
2301613011	Angle rotor	12x15/7/5 ml	5000	3080xg



## Biolab Scientific Ltd.