



# FLOOR TYPE LOW SPEED REFRIGERATED CENTRIFUGE BCFLR-102

# FLOOR TYPE LOW SPEED REFRIGERATED CENTRIFUGE

## BCFLR-102

Engineered to maximize productivity and reliably deliver a wide range of low speed separations. Stainless steel interiors, integrated refrigeration system and advanced temperature controls make it flexible for your evolving applications. Safety features and low noise operation make it an ideal partner for your day to day separations. Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Floor Type Refrigerated Centrifuge, Benchtop Centrifuge, Laboratory Tabletop Centrifuge.

## BCFLR-102 FLOOR TYPE LOW SPEED REFRIGERATED CENTRIFUGE

- Microcomputer controlled with programmable operation
- LED/LCD screen displays set and run conditions for easy monitoring
- Brushless DC Motor ensures low maintenance, high efficiency and constant speed of rotation
- Stainless Steel interior and exterior made up of anticorrosive ABS material
- Real-time conversion of RPM/RCF
- Dual temperature control
- Automatic storage of working data
- Dependable performance that maximizes your productivity
- Minimize sample disturbance during bucket loading and unloading
- Refrigerant: CFC-freeR404a
- System is complemented by multiple new accessories, including tube racks, centrifuge adapters and rotors
- Safety features: Self diagnostic, Rotor unbalance detector, Lid protection, Over speed protection, Over temperature protection

## SPECIFICATIONS

Model	BCFLR-102
Maximum Capacity (No of tubes x Vol.)	6x500 ml
Temperature Range	-20°C to 40°C
Temperature Accuracy	±1°C
Maximum Speed	5000 rpm
Speed Increment	±50 rpm
Maximum RCF	3780xg
Time Range	0-99 h 59 min
Overall Dimension	620x710x1100 mm
Program	5 user programs
Control	Microcomputer
Display	LED
Noise Level	≤65dB
Weight (Net/Gross)	220/240 kg
Power	350 W
Power Supply	220V 50HZ 30

## OPTIONAL ACCESSORIES

Accessory Code	Name	Description	RPM	RCF <sub>xg</sub>
2301806006	Swing rotor	7mlx148/96	4000	3780xg
2301806007	Angle rotor	50mlx6	5000	3780xg
2301806008	Swing rotor	750mlx4	4000	3780xg
2301806009	Swing rotor	500mlx4	4000	3780xg
2301806010	Microplate rotor	8x96 well	4000	3040xg
2301806011	Swing bucket	4 buckets	4000	3040xg
2301806012	Swing bucket- Adapter	5mlx112	4000	3040xg
2301806013	Swing bucket- Adapter	1.5mlx100	4000	3040xg
2301806014	Swing bucket- Adapter	10mlx80	4000	3040xg
2301806015	Swing bucket- Adapter	15mlx40 Round tube	4000	3040xg
2301806016	Swing bucket- Adapter	15mlx40 conical tube	4000	3040xg
2301806017	Swing bucket- Adapter	50mlx16 Round tube	4000	3040xg
2301806018	Swing bucket- Adapter	50mlx16 Conical tube	4000	3040xg



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)