



## GENERAL PURPOSE INCUBATOR BIGP-6901

# GENERAL PURPOSE INCUBATOR BIGP-6901

## BIGP-6901 GENERAL PURPOSE INCUBATOR



304 stainless steel, mirror polishing processing, easy to clean and maintain  
PID controller with over temperature alarm and timing function ensures precise and reliable control  
Air circulation system with specific air flow channel ensures a good temperature uniformity performance  
Silicon door gasket with long lifetime, and easy to change  
A damper adjustment in the front ensures the gas convection enough in working chamber

## SPECIFICATIONS

Model	BIGP-6901
Capacity	16 L
Electrical requirement	220 V 50 Hz
Temperature Range	RT +10 - 300°C
Display Resolution	0.1°C
Temperature Stability	±1°C
Temperature Uniformity	±3% (at 100°C)
Ambient Temperature	+5 - 40°C
Power Consumption	850 W
Internal Dimension	250Wx260Dx250H mm
External Dimension	530Wx370Dx420H mm
Shelves	2 pcs
Timing Range	0~9999 min



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)