



## MICROWAVE DIGESTER BMWD-102

## MICROWAVE DIGESTER BMWD-102

Compatible with 8 position rotor which meets different digestion demands. Provide a 316L stainless explosion-proof cavity that is covered in multilayer anticorrosive and heat-resistant coatings to increase service life and maintain operational safety.

Used in Pharmaceutical Analysis, Agricultural, Environmental Analysis, Biological Sciences.

Also known as Microwave Digester, Microwave Extraction.

## BMWD-102 MICROWAVE DIGESTER



Compatible with 8 position rotor which meets different digestion demands.

Equip with 316L stainless explosion-proof cavity, coated with multilayer anticorrosive and heat resisting coatings, which greatly prolongs its service life and ensure the safety of operation.

## SPECIFICATIONS

Model	BMWD-102
Vessel Quantity	8
Pressure Monitoring System	Contactless pressure sensors. All vessels scanning monitoring
Working Pressure Range	0-6MPa
Working Temperature Range	50-400 °C Accuracy: $\pm 0.1^{\circ}\text{C}$
Vessel Volume	100mL
Display	Smart 7 inch color touch screen
Rotation	360° continuous rotation
Microwave Power	0 ? 1000 W (Adjustable)
Microwave Frequency	2450MHz
Cavity Volume	35L
Microwave Leakage	<5mw/cm <sup>2</sup>
Power	AC 220V $\pm 10\%$ , 10A, 50/60Hz
Dimension ( LxWxH)	490x560x533 mm
Weight	40 kg

## OPTIONAL ACCESSORIES

Accessory Code	Name	Sample quantity	Aperture and Hole depth	Temperature Control Range
7600607006	Heating Blocks	12	$\Phi 39 \times 65 \text{mm}$	Room Temperature - 250°C



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)