



## VACUUM OVEN BOVA-7401

# VACUUM OVEN BOVA-7401

## BOVA-7401 VACUUM OVEN



- Microprocessor controller
- Dual layer tempered glass door for clear observation
- Minimum heating time 50% less than traditional vacuum oven
- Interior chamber made from stainless steel with a mirror polished finish making for easy cleaning
- Standard with vacuum pump
- Provides programmability for 7 periods and 9 steps for each period making for a total of 63 programmable step

## SPECIFICATIONS

Model	BOVA-7401
Capacity	913 L
Electrical requirement	AC3 80 V 50 HZ
Controller	LCD Programmability controller
Power Consumption	5600 W
Temperature range	RT+10 - 200°C
Display Resolution	0.1
Temperature Stability	±1°C
Vacuum Degree	133 Pa
Ambient Temperature	+5 - 40°C
Interior Dimension	750Wx1160Dx1050H mm
Exterior Dimension	1400Wx1395Dx2010H mm
Shelves	5 pcs
Chamber Material	304 Stainless steel



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)