






VARIABLE VOLUME 12 CHANNEL MICROPIPETTE BPIP-329





VARIABLE VOLUME 12 CHANNEL MICROPIPETTE BPIP-329

New ergonomic technology and innovate design makes it one of the most innovative pipettes in the market. Multi Channel Pipettes are designed to aspirate and dispense liquid volumes while eliminating many of the potential error risks. Its operation remains correct and controlled, volume settings can be set to prevent accidental volume changes. Used in ELISA, PCR, Cell Culture, Chemistry, Biology, Medical, Laboratory, Research, Liquid Handling Task, Institutes, Pharmaceutical, Industrial, Microbiology.

Also known as Laboratory Multi Channel Pipette.

BPIP-329 VARIABLE VOLUME 12 CHANNEL MICROPIPETTE



Light weight

Rotating dispensing head for optimal pipetting convenience.

Due to the optimized standard design of the tip cone, it can be compatible with a wide range of hand of tips.

Large central pipetting button and separate ejection function

True one-handed operation for both right-and left-handers

Completely autoclavable at 121°C(20min)

Volume-change protection

4-Position volume display, always clearly visible externally

Short stroke of only 12.5mm to reduce the risk of RSI(Repetitve Strain Injury)

Corrosion-resistant piston and ejector

Color-coded for easy selection of the right tip

Individual shafts with seals can be easily unscrewed for cleaning or replacingeliminates expense and long outages.

SPECIFICATIONS

Model	BPIP-329
Autoclavable	121℃
Volume	20-200 µl
Volume Step (μI)	200/100/20
Increment (µI)	0.2
Accuracy*≤±%	0.8/1.4/4
CV* <u><</u> %	0.3/0.6/1.5
Type of tips (µI)	200/300
Unit	5



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada Email: info@biolabscientific.com | Website: www.biolabscientific.com