

PRODUCT CATALOG



HYDROLYTIC STABILITY TESTER BPTL-214



www.biolabscientific.com

HYDROLYTIC STABILITY TESTER BPTL-214

Petroleum testing is the analysis during upstream, midstream, and downstream production processes of petroleum products. It is most commonly used to test petroleum product, its product components, byproducts of crude oil, fuel, natural gas, upstream oil and gas and other formats of petroleum. Used in Petroleum Industry, PVC Pipe Industry.

BPTL-214 HYDROLYTIC STABILITY TESTER



Air cooling system starts heat radiation automatically when temperatrure of instrument surface is too high. New V type door opening mode, completely transparent high temperature resistant glass door.

SPECIFICATIONS

| Model | BPTL-214 |
|--------------------|---|
| Samples size | 4 groups sample expandable to 8 groups |
| Sample bottle | Automatic 360° turn |
| Air cooling system | Starts heat radiation automatically when temperature of instrument surface is too high |
| Enamel tank | High quality, corrosion resistant, easy to clean with fan circulation and lighting. |
| Door | New V type door opening mode, completely transparent high temperature resistant glass door. |



Biolab Scientific Ltd. 3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada Email: info@biolabscientific.com | Website: www.biolabscientific.com