





## THERMAL STABILIY TESTER BPTL-216





## THERMAL STABILIY TESTER BPTL-216

Petroleum testing is the analysis during upstream, midstream, and downstream production processes of petroleum products. It is most commonly used to test petroleum product, its product components, byproducts of crude oil, fuel, natural gas, upstream oil and gas and other formats of petroleum.

Used in Petroleum Industry, PVC Pipe Industry.

## **BPTL-216 THERMAL STABILIY TESTER**



Heating aluminum black is placed in tank directly, with bracket. High quality enamel tank has fan circulation and lighting inside. New V type door opening mode, completely transparent high temperature resistant glass door.

## **SPECIFICATIONS**

| Model              | BPTL-216  |
|--------------------|---|
| Samples size       | 8 groups sample simultaneously  |
| Air cooling system | Starts heat radiation automatically when temperature of instrument surface is too high      |
| Tank               | High quality enamel tank, corrosion resistant and easy to clean                             |
| Fan                | With fan circulation and lighting inside.   |
| Door               | New V type door opening mode, completely transparent high temperature resistant glass door. |



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada Email: info@biolabscientific.com | Website: www.biolabscientific.com