



## FLOOR STANDING SHAKING INCUBATOR BSFLS-102

## FLOOR STANDING SHAKING INCUBATOR BSFLS-102

Integrated microprocessor system provides a constructive environment for growth of micro organisms. Its unique balance weighting system supports load flexibility. It is also equipped with independent alarms, wide observation window and safety door switch for smooth operation.

Used in Cell Cultures, Cell Aeration, Microbiology, Increasing Solubility Rates, Metabolism Studies, Bacterial Cultures, Bacteriology.

Also known as Laboratory Incubator Shaker, Incubator Shaker.

## BSFLS-102 FLOOR STANDING SHAKING INCUBATOR



Microprocessor controller

Stainless steel interior and Electrostatic sprayed exterior

Flexible and convenient, wide variety of detachable accessories

## SPECIFICATIONS

Model	BSFLS-102
Speed Range	20-300 rpm
Standard Capacity	500 mlx36
Temperature	RT+5-60°C
Temperature Accuracy	±0.1°C
Temperature Uniformity	±1°C
Timing Range	Optional
Motion	Orbital
Amplitude	26 mm
Tray	2
Platform Dimension	730x460 mm
Overall Dimension	980x820x1335 mm
Display	LCD
Weight	220 kg
Power	960 W
Power Supply	220 V, 50/60 Hz



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)