



ORBITAL SHAKER BSOR-105

ORBITAL SHAKER BSOR-105

Our product is an accurately designed, microprocessor controlled with double Decker platform to save your valuable lab space. Three eccentric shaft balancing drive ensures shaking with uniform speed. Speed adjustment settings permit both gentle and vigorous shaking. Varieties of platforms are available for different glassware and vessels. Used in Stability, Dissolution Studies, Liquid Extractions, Protein Precipitation, Small Peptide Synthesis, Dilutions. Also known as Laboratory Orbital Shaker.

BSOR-105 ORBITAL SHAKER



PID microprocessor control.

Advanced unishaft drive, low noise.

Eight self-compiled programs, with different speed and time setting.

Automatic operation, auto-stop, timing, time display, parameters memory and recovery function.

Independent over-speed audio and visual alarm, independent leakage protection device.

Automatic power-off protection system when the motor is overheating and temperature is out of control.

SPECIFICATIONS

| | |
|----------------------------|---|
| Model | BSOR-105 |
| Speed Range | 50~300 rpm |
| Maximum Configuration | 250 mlx96 or 500 mlx60 or 1000 mlx40 or 5000 mlx15 |
| Shaking Speed Accuracy | ±1 rpm |
| Timing Range | 0~500 h |
| Motion | Orbital |
| Vibrational Amplitude (mm) | Φ50 mm |
| External Material | Cold-rolled steel with anti-bacterial power coating |
| Platform Dimension | 1108x740 mm |
| Overall Dimension | 1210x775x480 mm |
| Package Dimension | 1310x875x630 mm |
| Weight | 305 kg |
| Power | 280 W |
| Standard Configuration | 250 mlx96 |
| Power Supply | AC110V/220V±10%,50/60Hz |



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com