



## OIL BATH CIRCULATOR

## OIL BATH CIRCULATOR

Designed with intelligent control system and wide temperature range, oil bath circulator is an ideal for industrial and laboratory applications. Available with varying capacities and circulating pump requirements, it has a user friendly interface and an optional water circulation cooling device for controlling exothermic reactions.

Used in Immunoassays, Melting points, Enzyme reactions, Boiling points, Incubation, Activation of cultures, Laboratory procedures..

Also known as Digital Dry Bath Incubator, Heating block, Laboratory Dry Bath Incubator.

## 200 OIL BATH CIRCULATOR

PID controller with timing function ensures precise and reliable control

Stainless steel working chamber and shell, anti-corrosion and easy to clean

Audible and visible alarm for temperature ensures experiments run safely

Magnetic stirring oil bath with microcomputer servo control of stirring speed, to ensure the constant speed in the case of constantly changing stirring viscosity

Magnetic stirring output torque is large, making the temperature in the oil bath more accurate and uniform

Optional accessories: Intelligent programmable LCD temperature controller, RS485 connector

## SPECIFICATIONS

Model	BCOB-201	BCOB-202	BCOB-203
Capacity	12 L	20 L	
Temperature Range	RT+20~200°C		
Temperature Stability	±0.5°C		
Deviation Alarm	±2°C		
Timer Range	0~9999		
Interior Dimension (WxHxD)	250x250x200 mm	400x250x200 mm	
Power	1000 W	1600 W	1000 W
Power Supply	220V, 50Hz		



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada  
Email: [contact@biolabscientific.com](mailto:contact@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)