



Product Image Coming Soon

STEREO ZOOM MICROSCOPE

STEREO ZOOM MICROSCOPE

Stereo Zoom Microscope also known as the dissecting microscope is type of optical microscope that allows the user to see a three-dimensional view of a specimen.

Used in Pharmaceutical, University, Medical, Laboratory, Research.

BMIC-901 STEREO ZOOM MICROSCOPE



Product Image Coming Soon

Excellent optical function with binocular viewing head inclined at 60°. Innovative stand structure and sharp image display. Convenient operation and special design for viewing incubating cell tissue. Valid mould proof design. It can be used under the high temperature and high humidity environment.

SPECIFICATIONS

Model	BMIC-901
Viewing Head	
Binocular view head inclined at 60°	Yes
Trinocular view head inclined at 45°	No
Digital view head inclined at 45°	No
Eyepiece	
High point wide field adjustable eyepiece WF10x22 mm	Yes
Zoom Objective	
0.67 X–4.5 X	Yes
Zoom Ratio	
6.7:1	Yes
Auxiliary Objective	
0.5X /177 mm,1.5X /47 mm, 2X/26 mm	Yes
Working Distance	
115 mm	Yes
Focusing Bracket	
Focusing frame and adjustment knob	Yes
Interpupillary Distance	
55-75 mm / 52-75 mm	Yes
Up Illumination	
LED lamp	Yes
Down Illumination	
LED lamp	Yes
Power Supply	
AC110/220 V ± 10%, 50/60 Hz	Yes
Package	

Cartoon with foam	Yes
Package Size	500x260x370 mm
Gross Weight	8 kg

BMIC-902 STEREO ZOOM MICROSCOPE



Excellent optical function with tinocular viewing head inclined at 60°. Innovative stand structure and sharp image display. Convenient operation and special design for viewing incubating cell tissue. Valid mould proof design. It can be used under the high temperature and high humidity environment. Trinocular view head inclined at 45°

SPECIFICATIONS

Model	BMIC-902
Viewing Head	
Binocular view head inclined at 60°	No
Trinocular view head inclined at 45°	Yes
Digital view head inclined at 45°	Yes
Eyepiece	
High point wide field adjustable eyepiece WF10x22 mm	Yes
Zoom Objective	
0.67 X – 4.5 X	Yes
Zoom Ratio	
6.7:1	Yes
Auxiliary Objective	
0.5X /177 mm, 1.5X /47 mm, 2X/26 mm	Yes
Working Distance	
115 mm	Yes
Focusing Bracket	
Focusing frame and adjustment knob	Yes
Interpupillary Distance	
55-75 mm / 52-75 mm	Yes
Up Illumination	
LED lamp	Yes
Down Illumination	
LED lamp	Yes
Power Supply	
AC110/220 V ± 10%, 50/60 Hz	Yes
Package	
Cartoon with foam	Yes
Package Size	500x260x370 mm

Gross Weight	8 kg
--------------	------

BMIC-903 STEREO ZOOM MICROSCOPE



Excellent optical function with Natural light binocular illumination. Innovative stand structure and sharp image display. Convenient operation and special design for viewing incubating cell tissue. Valid mould proof design. It can be used under the high temperature and high humidity environment.

SPECIFICATIONS

Model	BMIC-903
Illumination	Natural light Binocular
View Head And Body	Straight Head
Objective	2X
Working Distance	80 mm
Eyepiece	WF10X/20
Power Supply	NA
Package Size	300x200x150 mm
Gross Weight	3 kg

BMIC-904 STEREO ZOOM MICROSCOPE



Excellent optical function with Tranilluminator / inclined light illumination. Innovative stand structure and sharp image display. Convenient operation and special design for viewing incubating cell tissue. Valid mould proof design. It can be used under the high temperature and high humidity environment.

SPECIFICATIONS

Model	BMIC-904
Illumination	Tranilluminator / inclined light
View Head And Body	Inclined viewing Up-rotatable body

Objective	2X&4X, 90°rotated
Working Distance	57 mm
Eyepiece	WF10X/20
Power Supply	AC110/220 V ± 10%, 50/60 Hz
Package Size	360x170x290 mm
Gross Weight	6 kg

BMIC-905 STEREO ZOOM MICROSCOPE



Excellent optical function with Natural light illumination. Innovative stand structure and sharp image display. Convenient operation and special design for viewing incubating cell tissue. Valid mould proof design. It can be used under the high temperature and high humidity environment.

SPECIFICATIONS

Model	BMIC-905
Illumination	Natural light
View Head And Body	Inclined viewing Body 360°rotatable
Objective	2X&4X, 360°rotated
Working Distance	100 mm
Eyepiece	WF10X/20
Power Supply	AC110/220 V ± 10%, 50/60 Hz
Package Size	400x250x360 mm
Gross Weight	8 kg



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com